Available at: http://ijph.tums.ac.ir

Letter to the Editor

Comment on a Published Paper" Correlation between Fluoride in Drinking Water and Its Levels in Breast Milk in Golestan Province, Northern Iran"

*Bita ROHANI¹, Saeid ZAREIY²

 Dept. of Oral Medicine, Faculty of Dentistry, AJA University of Medical Sciences, Tehran, Iran
Dept. of Aerospace & Marine Medicine, Faculty of Aerospace & Submarine Medicine, AJA University of Medical Sciences, Tehran, Iran

*Corresponding Author: Email: rohani_bita@ajaums.ac.ir

(Received 23 Nov 2015; accepted 12 Dec 2015)

Dear Editor-in-Chief

Iran J Public Health, Vol. 45, No.1, Jan 2016, pp.120-121

We would like to congratulate Faraji et al for their recent publication entitled "Correlation between Fluoride in Drinking Water and Its Levels in Breast Milk in Golestan Province, Northern Iran" (1). However, there is a question on the Materials and Methods section of this paper. It seems that the inclusion and exclusion criteria have not been included accurately in this section. For example, the people who have been studied whether taking fluoride supplements (2) or not, also what was their diet (e.g., the amount of drinking tea)?

References

- Faraji H, Mohammadi AA, Akbari B, Vakili Saatloo N, Lashkarboloki G, Mahvi AH (2014). Correlation between Fluoride in Drinking Water and Its Levels in Breast Milk in Golestan Province, Northern Iran. Iran J Publ Health, 43(12): 1664-8.
- Dabeka RW, Karpinski KF, McKenzie AD, Bajdik CD (1986). Survey of lead, cadmium and fluoride in human milk and correlation of levels with environmental and food factors. *Food Chem Toxicol*, 24(9): 913-21.

Response

Amir Hossein MAHVI

*Corresponding Author: Email: ahmahvi@yahoo.com

Dear Editor-in-Chief

With regard to 2 comments raised as: " It seems that the inclusion and exclusion criteria have not been included accurately in this section. For example, the people who have been studied whether taking fluoride supplements or not, also what is their diet (e.g., the amount of drinking tea)? " on our paper (1), fluoride has been determined in powdered milk consumed by infants as well (2, 3). The average amount of tea liquor consumed by Iranian people is about 1/lit/d/ person (4). The minimum and maximum amount of fluoride in black tea liquor was 0.53 and 2.6 mg/l, respectively (5). These amounts are all safe for infants and in case the amount of fluoride is high in the water for preparation of tea, it should be removed (6).

As, face to face interview and completing a questionnaire, the dietary regime and the amount of tea consumed by the studied mothers were



almost the same and therefore the amount of fluoride in the mother's milk is affected by amount of consumed tea liquor and the tea brands. No correlation was found between fluoride concentration and consumption of tea. Most of the daily intake fluoride is discharged by urinary system and less is deposited in body and can be tracked in mother's milk. No mouthwash and not any fluoride supplements were taken by mothers. Ultimately, our aim was to determine the relationship between fluoride in breast milk and drinking water.

References

 Faraji H, Mohammadi A A, Akbari B, Vakili Saatloo N, Lashkarboloki G, Mahvi A H (2014) .Correlation between fluoride in drinking Water and its levels in breast milk in Golestan Province, Northern Iran. Iran J Publ Health, 43:12,1664-1668.

- Mahvi AH, Ghanbarian M, Ghanbarian M, Khosravi A, Ghanbaria (2012). Determination of fluoride concentration in powdered milk in Iran 2010. *Br J Nutr*, 1-3.
- Ghanbarian M, Ghanbarian M, Hoseini M, Mahvi AH (2014). Estimation of fluoride intake by Iranian powdered milk-fed infants. *Fluoride*, 47(4):359-367.
- Ghoochani M, Shekoohiyan S, Yunesian M, Nazmara S, Mahvi AH (2015). Determination of aluminum and zinc in infusion tea cultivated in north of Iran. J Environ Health Sci Engin, 13:49, DOI 10.1186/s40201-015-0196-9.
- Mahvi AH, Zazoli MA, Younecian M, Esfandiari Y (2006). Fluoride content of Iranian black tea and tea liquor. *Fluoride Res*, 39(4):266-68.
- Boldaji MR, Mahvi AH, Dobaradaran S., Hosseini SS (2009). Evaluating the effectiveness of a hybrid sorbent resin in removing fluoride from water. Int J Environ Sci Technol, 6:629-32.